

TEST REPORT n° 135938/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID BH8 (4,8) **Type N**
Laboratory Sample ID 01 / 21170
Test Report date of issue 08-set-06
Sampling Date 25-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	34	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	91,2	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	6,29 ± 1,6	mg/Kg	01/08/2006 - 02/08/2006	0,018	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,0683 ± 0,017	mg/Kg	01/08/2006 - 02/08/2006	0,0016	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	5,6 ± 1,4	mg/Kg	01/08/2006 - 02/08/2006	0,016	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,015	mg/Kg	01/08/2006 - 02/08/2006	0,015	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	4,95 ± 1,2	mg/Kg	01/08/2006 - 02/08/2006	0,038	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	1,76 ± 0,44	mg/Kg	01/08/2006 - 02/08/2006	0,021	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	4,9 ± 1,2	mg/Kg	01/08/2006 - 02/08/2006	0,042	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	23,1 ± 5,8	mg/Kg	01/08/2006 - 02/08/2006	0,075	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,0169 ± 0,0051	mg/Kg	01/08/2006 - 01/08/2006	0,0053	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	<0,014	mg/Kg	28/07/2006	- 03/08/2006	0,014	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	<0,0085	mg/Kg	31/07/2006	- 03/08/2006	0,0085	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	0,197 ± 0,059	mg/Kg	31/07/2006	- 03/08/2006	0,0035	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00477 ± 0,0014	mg/Kg	04/08/2006	- 04/08/2006	0,00006	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,073 ± 0,022	mg/Kg	04/08/2006	- 04/08/2006	0,00022	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,39	mg/Kg	31/07/2006	- 31/07/2006	0,39	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,05	mg/Kg	31/07/2006	- 31/07/2006	0,05	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0024	mg/Kg	-----	- 01/08/2006	0,0024	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,0022	mg/Kg	01/08/2006	- 01/08/2006	0,0022	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0015	mg/Kg	01/08/2006	- 01/08/2006	0,0015	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0014	mg/Kg	01/08/2006	- 01/08/2006	0,0014	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0017	mg/Kg	01/08/2006	- 01/08/2006	0,0017	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,002	mg/Kg	01/08/2006	- 01/08/2006	0,002	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0014	mg/Kg	01/08/2006	- 01/08/2006	0,0014	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,0022	mg/Kg	01/08/2006	- 01/08/2006	0,0022	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,002	mg/Kg	01/08/2006	- 01/08/2006	0,002	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0016	mg/Kg	01/08/2006	- 01/08/2006	0,0016	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0024	mg/Kg	01/08/2006	- 01/08/2006	0,0024	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0013	mg/Kg	01/08/2006	- 01/08/2006	0,0013	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0016	mg/Kg	01/08/2006	- 01/08/2006	0,0016	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0021	mg/Kg	01/08/2006	- 01/08/2006	0,0021	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135939/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID BH8 (9,7) **Type N**
Laboratory Sample ID 02 / 21170
Test Report date of issue 08-set-06
Sampling Date 25-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	51,8	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	95,3	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	3,48 ± 0,87	mg/Kg	01/08/2006 - 02/08/2006	0,028	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,0251 ± 0,0063	mg/Kg	01/08/2006 - 02/08/2006	0,0024	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	9,62 ± 2,4	mg/Kg	01/08/2006 - 02/08/2006	0,025	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	0,0262 ± 0,0065	mg/Kg	01/08/2006 - 02/08/2006	0,023	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	7,75 ± 1,9	mg/Kg	01/08/2006 - 02/08/2006	0,059	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	0,662 ± 0,17	mg/Kg	01/08/2006 - 02/08/2006	0,032	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	16,6 ± 4,2	mg/Kg	01/08/2006 - 02/08/2006	0,065	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	18,6 ± 4,6	mg/Kg	01/08/2006 - 02/08/2006	0,12	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,0373 ± 0,011	mg/Kg	01/08/2006 - 01/08/2006	0,0085	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	<0,022	mg/Kg	28/07/2006	- 03/08/2006	0,022	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	0,0318 ± 0,0095	mg/Kg	31/07/2006	- 03/08/2006	0,013	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,0055	mg/Kg	31/07/2006	- 03/08/2006	0,0055	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00445 ± 0,0013	mg/Kg	04/08/2006	- 05/08/2006	0,000049	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,0149 ± 0,0045	mg/Kg	04/08/2006	- 05/08/2006	0,00018	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,6	mg/Kg	31/07/2006	- 31/07/2006	0,6	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,049	mg/Kg	31/07/2006	- 31/07/2006	0,049	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0033	mg/Kg	-----	- 02/08/2006	0,0033	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,0031	mg/Kg	01/08/2006	- 02/08/2006	0,0031	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0021	mg/Kg	01/08/2006	- 02/08/2006	0,0021	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,002	mg/Kg	01/08/2006	- 02/08/2006	0,002	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0023	mg/Kg	01/08/2006	- 02/08/2006	0,0023	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0028	mg/Kg	01/08/2006	- 02/08/2006	0,0028	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,002	mg/Kg	01/08/2006	- 02/08/2006	0,002	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,0031	mg/Kg	01/08/2006	- 02/08/2006	0,0031	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0028	mg/Kg	01/08/2006	- 02/08/2006	0,0028	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0022	mg/Kg	01/08/2006	- 02/08/2006	0,0022	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0033	mg/Kg	01/08/2006	- 02/08/2006	0,0033	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0019	mg/Kg	01/08/2006	- 02/08/2006	0,0019	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0022	mg/Kg	01/08/2006	- 02/08/2006	0,0022	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0028	mg/Kg	01/08/2006	- 02/08/2006	0,0028	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135942/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID BH19 (4,9) **Type N**
Laboratory Sample ID 05 / 21170
Test Report date of issue 08-set-06
Sampling Date 25-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	50,4	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	88,2	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	9,49 ± 2,4	mg/Kg	01/08/2006 - 02/08/2006	0,028	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,0705 ± 0,018	mg/Kg	01/08/2006 - 02/08/2006	0,0024	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	7,22 ± 1,8	mg/Kg	01/08/2006 - 02/08/2006	0,024	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,023	mg/Kg	01/08/2006 - 02/08/2006	0,023	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	6,45 ± 1,6	mg/Kg	01/08/2006 - 02/08/2006	0,059	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	1,95 ± 0,49	mg/Kg	01/08/2006 - 02/08/2006	0,032	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	8,77 ± 2,2	mg/Kg	01/08/2006 - 02/08/2006	0,064	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	28,8 ± 7,2	mg/Kg	01/08/2006 - 02/08/2006	0,12	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,07 ± 0,021	mg/Kg	01/08/2006 - 01/08/2006	0,0085	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	0,159 ± 0,032	mg/Kg	28/07/2006	- 03/08/2006	0,012	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	<0,014	mg/Kg	31/07/2006	- 03/08/2006	0,014	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,0059	mg/Kg	31/07/2006	- 03/08/2006	0,0059	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00297 ± 0,00089	mg/Kg	04/08/2006	- 05/08/2006	0,000055	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,00751 ± 0,0023	mg/Kg	04/08/2006	- 05/08/2006	0,0002	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,57	mg/Kg	31/07/2006	- 01/08/2006	0,57	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,068	mg/Kg	31/07/2006	- 31/07/2006	0,068	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0039	mg/Kg	-----	- 02/08/2006	0,0039	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,0037	mg/Kg	01/08/2006	- 02/08/2006	0,0037	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0025	mg/Kg	01/08/2006	- 02/08/2006	0,0025	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0024	mg/Kg	01/08/2006	- 02/08/2006	0,0024	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0028	mg/Kg	01/08/2006	- 02/08/2006	0,0028	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0033	mg/Kg	01/08/2006	- 02/08/2006	0,0033	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0024	mg/Kg	01/08/2006	- 02/08/2006	0,0024	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,0036	mg/Kg	01/08/2006	- 02/08/2006	0,0036	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0033	mg/Kg	01/08/2006	- 02/08/2006	0,0033	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0026	mg/Kg	01/08/2006	- 02/08/2006	0,0026	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0039	mg/Kg	01/08/2006	- 02/08/2006	0,0039	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0022	mg/Kg	01/08/2006	- 02/08/2006	0,0022	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0026	mg/Kg	01/08/2006	- 02/08/2006	0,0026	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0034	mg/Kg	01/08/2006	- 02/08/2006	0,0034	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135943/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID BH19 (9,7) **Type N**
Laboratory Sample ID 06 / 21170
Test Report date of issue 08-set-06
Sampling Date 25-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	52,5	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	93,3	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	6,03 ± 1,5	mg/Kg	01/08/2006 - 02/08/2006	0,029	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,0412 ± 0,01	mg/Kg	01/08/2006 - 02/08/2006	0,0025	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	10,2 ± 2,6	mg/Kg	01/08/2006 - 02/08/2006	0,026	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	0,0244 ± 0,0061	mg/Kg	01/08/2006 - 02/08/2006	0,024	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	5,84 ± 1,5	mg/Kg	01/08/2006 - 02/08/2006	0,061	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	1,16 ± 0,29	mg/Kg	01/08/2006 - 02/08/2006	0,034	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	7,88 ± 2,0	mg/Kg	01/08/2006 - 02/08/2006	0,067	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	21,4 ± 5,4	mg/Kg	01/08/2006 - 02/08/2006	0,12	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,0681 ± 0,02	mg/Kg	01/08/2006 - 01/08/2006	0,0086	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	<0,021	mg/Kg	28/07/2006	- 03/08/2006	0,021	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	0,0458 ± 0,014	mg/Kg	31/07/2006	- 03/08/2006	0,013	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,0052	mg/Kg	31/07/2006	- 03/08/2006	0,0052	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00349 ± 0,001	mg/Kg	04/08/2006	- 05/08/2006	0,000057	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,00843 ± 0,0025	mg/Kg	04/08/2006	- 05/08/2006	0,00021	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,58	mg/Kg	31/07/2006	- 01/08/2006	0,58	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,071	mg/Kg	31/07/2006	- 31/07/2006	0,071	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0039	mg/Kg	-----	- 02/08/2006	0,0039	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,0037	mg/Kg	01/08/2006	- 02/08/2006	0,0037	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0025	mg/Kg	01/08/2006	- 02/08/2006	0,0025	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0024	mg/Kg	01/08/2006	- 02/08/2006	0,0024	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0028	mg/Kg	01/08/2006	- 02/08/2006	0,0028	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0034	mg/Kg	01/08/2006	- 02/08/2006	0,0034	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0024	mg/Kg	01/08/2006	- 02/08/2006	0,0024	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,0036	mg/Kg	01/08/2006	- 02/08/2006	0,0036	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0034	mg/Kg	01/08/2006	- 02/08/2006	0,0034	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0027	mg/Kg	01/08/2006	- 02/08/2006	0,0027	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0039	mg/Kg	01/08/2006	- 02/08/2006	0,0039	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0022	mg/Kg	01/08/2006	- 02/08/2006	0,0022	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0026	mg/Kg	01/08/2006	- 02/08/2006	0,0026	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0034	mg/Kg	01/08/2006	- 02/08/2006	0,0034	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135944/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID BH16 (4,2) **Type N**
Laboratory Sample ID 07 / 21170
Test Report date of issue 08-set-06
Sampling Date 25-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	42,4	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	92,9	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	6,64 ± 1,7	mg/Kg	01/08/2006 - 02/08/2006	0,022	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,0336 ± 0,0084	mg/Kg	01/08/2006 - 02/08/2006	0,0019	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	5,35 ± 1,3	mg/Kg	01/08/2006 - 02/08/2006	0,02	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,018	mg/Kg	01/08/2006 - 02/08/2006	0,018	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	4,24 ± 1,1	mg/Kg	01/08/2006 - 02/08/2006	0,047	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	1,53 ± 0,38	mg/Kg	01/08/2006 - 02/08/2006	0,026	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	5,2 ± 1,3	mg/Kg	01/08/2006 - 02/08/2006	0,051	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	18,5 ± 4,6	mg/Kg	01/08/2006 - 02/08/2006	0,092	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,045 ± 0,014	mg/Kg	01/08/2006 - 01/08/2006	0,0069	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	<0,017	mg/Kg	28/07/2006	- 03/08/2006	0,017	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	3,48 ± 1,0	mg/Kg	31/07/2006	- 03/08/2006	0,01	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,0042	mg/Kg	31/07/2006	- 03/08/2006	0,0042	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00364 ± 0,0011	mg/Kg	04/08/2006	- 05/08/2006	0,000069	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,00883 ± 0,0027	mg/Kg	04/08/2006	- 05/08/2006	0,00026	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,47	mg/Kg	31/07/2006	- 01/08/2006	0,47	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,057	mg/Kg	31/07/2006	- 31/07/2006	0,057	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0027	mg/Kg	-----	- 02/08/2006	0,0027	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,0025	mg/Kg	01/08/2006	- 02/08/2006	0,0025	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0017	mg/Kg	01/08/2006	- 02/08/2006	0,0017	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0016	mg/Kg	01/08/2006	- 02/08/2006	0,0016	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0019	mg/Kg	01/08/2006	- 02/08/2006	0,0019	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0023	mg/Kg	01/08/2006	- 02/08/2006	0,0023	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0017	mg/Kg	01/08/2006	- 02/08/2006	0,0017	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,0025	mg/Kg	01/08/2006	- 02/08/2006	0,0025	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0023	mg/Kg	01/08/2006	- 02/08/2006	0,0023	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0018	mg/Kg	01/08/2006	- 02/08/2006	0,0018	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0027	mg/Kg	01/08/2006	- 02/08/2006	0,0027	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0015	mg/Kg	01/08/2006	- 02/08/2006	0,0015	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0018	mg/Kg	01/08/2006	- 02/08/2006	0,0018	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0023	mg/Kg	01/08/2006	- 02/08/2006	0,0023	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135945/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID BH16 (9,7) **Type N**
Laboratory Sample ID 08 / 21170
Test Report date of issue 08-set-06
Sampling Date 25-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	48,6	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	93,2	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	6,71 ± 1,7	mg/Kg	01/08/2006 - 02/08/2006	0,025	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,0276 ± 0,0069	mg/Kg	01/08/2006 - 02/08/2006	0,0022	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	7,33 ± 1,8	mg/Kg	01/08/2006 - 02/08/2006	0,022	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,021	mg/Kg	01/08/2006 - 02/08/2006	0,021	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	4,84 ± 1,2	mg/Kg	01/08/2006 - 02/08/2006	0,053	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	0,73 ± 0,18	mg/Kg	01/08/2006 - 02/08/2006	0,029	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	3,8 ± 0,95	mg/Kg	01/08/2006 - 02/08/2006	0,058	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	14,9 ± 3,7	mg/Kg	01/08/2006 - 02/08/2006	0,1	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,0362 ± 0,011	mg/Kg	01/08/2006 - 01/08/2006	0,0076	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	<0,019	mg/Kg	28/07/2006	- 03/08/2006	0,019	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	4,54 ± 1,4	mg/Kg	31/07/2006	- 03/08/2006	0,011	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,0046	mg/Kg	31/07/2006	- 03/08/2006	0,0046	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00483 ± 0,0014	mg/Kg	04/08/2006	- 05/08/2006	0,000079	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,201 ± 0,06	mg/Kg	04/08/2006	- 05/08/2006	0,00029	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,54	mg/Kg	31/07/2006	- 01/08/2006	0,54	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,059	mg/Kg	31/07/2006	- 31/07/2006	0,059	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0039	mg/Kg	-----	- 02/08/2006	0,0039	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,0037	mg/Kg	01/08/2006	- 02/08/2006	0,0037	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0025	mg/Kg	01/08/2006	- 02/08/2006	0,0025	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0024	mg/Kg	01/08/2006	- 02/08/2006	0,0024	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0028	mg/Kg	01/08/2006	- 02/08/2006	0,0028	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0034	mg/Kg	01/08/2006	- 02/08/2006	0,0034	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0024	mg/Kg	01/08/2006	- 02/08/2006	0,0024	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,0036	mg/Kg	01/08/2006	- 02/08/2006	0,0036	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0033	mg/Kg	01/08/2006	- 02/08/2006	0,0033	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0027	mg/Kg	01/08/2006	- 02/08/2006	0,0027	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0039	mg/Kg	01/08/2006	- 02/08/2006	0,0039	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0022	mg/Kg	01/08/2006	- 02/08/2006	0,0022	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0026	mg/Kg	01/08/2006	- 02/08/2006	0,0026	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0034	mg/Kg	01/08/2006	- 02/08/2006	0,0034	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135946/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID BH14 (9,7) **Type N**
Laboratory Sample ID 09 / 21170
Test Report date of issue 08-set-06
Sampling Date 26-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	61,1	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	95,5	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	3,18 ± 0,79	mg/Kg	01/08/2006 - 02/08/2006	0,034	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,0234 ± 0,0059	mg/Kg	01/08/2006 - 02/08/2006	0,003	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	7,15 ± 1,8	mg/Kg	01/08/2006 - 02/08/2006	0,03	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,028	mg/Kg	01/08/2006 - 02/08/2006	0,028	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	4,6 ± 1,1	mg/Kg	01/08/2006 - 02/08/2006	0,073	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	0,814 ± 0,2	mg/Kg	01/08/2006 - 02/08/2006	0,04	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	4,09 ± 1,0	mg/Kg	01/08/2006 - 02/08/2006	0,08	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	14,5 ± 3,6	mg/Kg	01/08/2006 - 02/08/2006	0,14	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,0474 ± 0,014	mg/Kg	01/08/2006 - 01/08/2006	0,0098	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	<0,024	mg/Kg	28/07/2006	- 03/08/2006	0,024	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	0,435 ± 0,13	mg/Kg	31/07/2006	- 03/08/2006	0,015	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,006	mg/Kg	31/07/2006	- 03/08/2006	0,006	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00473 ± 0,0014	mg/Kg	04/08/2006	- 05/08/2006	0,000067	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,0121 ± 0,0036	mg/Kg	04/08/2006	- 05/08/2006	0,00025	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,68	mg/Kg	31/07/2006	- 01/08/2006	0,68	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,048	mg/Kg	31/07/2006	- 01/08/2006	0,048	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0053	mg/Kg	-----	- 02/08/2006	0,0053	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,0049	mg/Kg	01/08/2006	- 02/08/2006	0,0049	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0034	mg/Kg	01/08/2006	- 02/08/2006	0,0034	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0032	mg/Kg	01/08/2006	- 02/08/2006	0,0032	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0037	mg/Kg	01/08/2006	- 02/08/2006	0,0037	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0045	mg/Kg	01/08/2006	- 02/08/2006	0,0045	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0032	mg/Kg	01/08/2006	- 02/08/2006	0,0032	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,0049	mg/Kg	01/08/2006	- 02/08/2006	0,0049	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0045	mg/Kg	01/08/2006	- 02/08/2006	0,0045	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0036	mg/Kg	01/08/2006	- 02/08/2006	0,0036	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0053	mg/Kg	01/08/2006	- 02/08/2006	0,0053	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,003	mg/Kg	01/08/2006	- 02/08/2006	0,003	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0035	mg/Kg	01/08/2006	- 02/08/2006	0,0035	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0046	mg/Kg	01/08/2006	- 02/08/2006	0,0046	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135949/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID BH14 (4,8) **Type N**
Laboratory Sample ID 12 / 21170
Test Report date of issue 08-set-06
Sampling Date 26-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	40,8	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	92,8	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	10,5 ± 2,6	mg/Kg	01/08/2006 - 02/08/2006	0,021	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,0566 ± 0,014	mg/Kg	01/08/2006 - 02/08/2006	0,0019	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	5,99 ± 1,5	mg/Kg	01/08/2006 - 02/08/2006	0,019	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,017	mg/Kg	01/08/2006 - 02/08/2006	0,017	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	5,42 ± 1,4	mg/Kg	01/08/2006 - 02/08/2006	0,045	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	1,02 ± 0,25	mg/Kg	01/08/2006 - 02/08/2006	0,025	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	10,1 ± 2,5	mg/Kg	01/08/2006 - 02/08/2006	0,049	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	20,7 ± 5,2	mg/Kg	01/08/2006 - 02/08/2006	0,088	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,0353 ± 0,011	mg/Kg	01/08/2006 - 01/08/2006	0,0069	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	<0,017	mg/Kg	28/07/2006	- 03/08/2006	0,017	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	0,27 ± 0,081	mg/Kg	31/07/2006	- 03/08/2006	0,0094	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,0042	mg/Kg	31/07/2006	- 03/08/2006	0,0042	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00262 ± 0,00079	mg/Kg	04/08/2006	- 05/08/2006	0,000048	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,00615 ± 0,0018	mg/Kg	04/08/2006	- 05/08/2006	0,00018	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,46	mg/Kg	31/07/2006	- 01/08/2006	0,46	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,046	mg/Kg	31/07/2006	- 01/08/2006	0,046	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0024	mg/Kg	-----	- 02/08/2006	0,0024	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,0023	mg/Kg	01/08/2006	- 02/08/2006	0,0023	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0016	mg/Kg	01/08/2006	- 02/08/2006	0,0016	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0015	mg/Kg	01/08/2006	- 02/08/2006	0,0015	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0017	mg/Kg	01/08/2006	- 02/08/2006	0,0017	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0021	mg/Kg	01/08/2006	- 02/08/2006	0,0021	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0015	mg/Kg	01/08/2006	- 02/08/2006	0,0015	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,0023	mg/Kg	01/08/2006	- 02/08/2006	0,0023	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0021	mg/Kg	01/08/2006	- 02/08/2006	0,0021	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0016	mg/Kg	01/08/2006	- 02/08/2006	0,0016	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0024	mg/Kg	01/08/2006	- 02/08/2006	0,0024	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0014	mg/Kg	01/08/2006	- 02/08/2006	0,0014	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0016	mg/Kg	01/08/2006	- 02/08/2006	0,0016	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0021	mg/Kg	01/08/2006	- 02/08/2006	0,0021	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End


Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135950/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID BH27 (4,8) **Type N**
Laboratory Sample ID 13 / 21170
Test Report date of issue 08-set-06
Sampling Date 26-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	36,8	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	90,6	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	4,19 ± 1,0	mg/Kg	01/08/2006 - 02/08/2006	0,02	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,268 ± 0,067	mg/Kg	01/08/2006 - 02/08/2006	0,0018	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	5,15 ± 1,3	mg/Kg	01/08/2006 - 02/08/2006	0,018	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,017	mg/Kg	01/08/2006 - 02/08/2006	0,017	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	4,86 ± 1,2	mg/Kg	01/08/2006 - 02/08/2006	0,043	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	1,02 ± 0,25	mg/Kg	01/08/2006 - 02/08/2006	0,023	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	39,1 ± 9,8	mg/Kg	01/08/2006 - 02/08/2006	0,047	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	113 ± 28,0	mg/Kg	01/08/2006 - 02/08/2006	0,084	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,0179 ± 0,0054	mg/Kg	01/08/2006 - 01/08/2006	0,0063	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	<0,015	mg/Kg	28/07/2006	- 03/08/2006	0,015	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	<0,0091	mg/Kg	31/07/2006	- 03/08/2006	0,0091	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,0036	mg/Kg	31/07/2006	- 03/08/2006	0,0036	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00274 ± 0,00082	mg/Kg	04/08/2006	- 05/08/2006	0,000038	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,0135 ± 0,004	mg/Kg	04/08/2006	- 05/08/2006	0,00014	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,43	mg/Kg	31/07/2006	- 01/08/2006	0,43	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,05	mg/Kg	31/07/2006	- 01/08/2006	0,05	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0022	mg/Kg	-----	- 02/08/2006	0,0022	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,002	mg/Kg	01/08/2006	- 02/08/2006	0,002	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0014	mg/Kg	01/08/2006	- 02/08/2006	0,0014	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0013	mg/Kg	01/08/2006	- 02/08/2006	0,0013	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0015	mg/Kg	01/08/2006	- 02/08/2006	0,0015	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0019	mg/Kg	01/08/2006	- 02/08/2006	0,0019	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0013	mg/Kg	01/08/2006	- 02/08/2006	0,0013	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,002	mg/Kg	01/08/2006	- 02/08/2006	0,002	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0019	mg/Kg	01/08/2006	- 02/08/2006	0,0019	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0015	mg/Kg	01/08/2006	- 02/08/2006	0,0015	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0022	mg/Kg	01/08/2006	- 02/08/2006	0,0022	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0012	mg/Kg	01/08/2006	- 02/08/2006	0,0012	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0015	mg/Kg	01/08/2006	- 02/08/2006	0,0015	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0019	mg/Kg	01/08/2006	- 02/08/2006	0,0019	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135951/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID BH27 (9,5) **Type N**
Laboratory Sample ID 14 / 21170
Test Report date of issue 08-set-06
Sampling Date 26-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	52,8	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	96,3	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	2,82 ± 0,7	mg/Kg	01/08/2006 - 02/08/2006	0,028	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,0596 ± 0,015	mg/Kg	01/08/2006 - 02/08/2006	0,0024	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	4,97 ± 1,2	mg/Kg	01/08/2006 - 02/08/2006	0,024	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,023	mg/Kg	01/08/2006 - 02/08/2006	0,023	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	4,47 ± 1,1	mg/Kg	01/08/2006 - 02/08/2006	0,058	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	0,768 ± 0,19	mg/Kg	01/08/2006 - 02/08/2006	0,032	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	21 ± 5,2	mg/Kg	01/08/2006 - 02/08/2006	0,064	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	26 ± 6,5	mg/Kg	01/08/2006 - 02/08/2006	0,12	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,0235 ± 0,0071	mg/Kg	01/08/2006 - 01/08/2006	0,0083	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	<0,02	mg/Kg	28/07/2006	- 03/08/2006	0,02	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	<0,013	mg/Kg	31/07/2006	- 03/08/2006	0,013	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,0051	mg/Kg	31/07/2006	- 03/08/2006	0,0051	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00418 ± 0,0013	mg/Kg	04/08/2006	- 05/08/2006	0,000052	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,00766 ± 0,0023	mg/Kg	04/08/2006	- 05/08/2006	0,00019	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,6	mg/Kg	31/07/2006	- 01/08/2006	0,6	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,049	mg/Kg	31/07/2006	- 01/08/2006	0,049	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0044	mg/Kg	-----	- 02/08/2006	0,0044	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,0041	mg/Kg	01/08/2006	- 02/08/2006	0,0041	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0028	mg/Kg	01/08/2006	- 02/08/2006	0,0028	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0027	mg/Kg	01/08/2006	- 02/08/2006	0,0027	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0031	mg/Kg	01/08/2006	- 02/08/2006	0,0031	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0038	mg/Kg	01/08/2006	- 02/08/2006	0,0038	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0027	mg/Kg	01/08/2006	- 02/08/2006	0,0027	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,0041	mg/Kg	01/08/2006	- 02/08/2006	0,0041	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0037	mg/Kg	01/08/2006	- 02/08/2006	0,0037	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,003	mg/Kg	01/08/2006	- 02/08/2006	0,003	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0044	mg/Kg	01/08/2006	- 02/08/2006	0,0044	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0025	mg/Kg	01/08/2006	- 02/08/2006	0,0025	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0029	mg/Kg	01/08/2006	- 02/08/2006	0,0029	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0038	mg/Kg	01/08/2006	- 02/08/2006	0,0038	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135952/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID BH13 (5,7) **Type N**
Laboratory Sample ID 15 / 21170
Test Report date of issue 08-set-06
Sampling Date 26-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	46,4	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	82,3	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	1,7 ± 0,42	mg/Kg	01/08/2006 - 02/08/2006	0,026	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,145 ± 0,036	mg/Kg	01/08/2006 - 02/08/2006	0,0023	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	8,1 ± 2,0	mg/Kg	01/08/2006 - 02/08/2006	0,023	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,021	mg/Kg	01/08/2006 - 02/08/2006	0,021	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	6,39 ± 1,6	mg/Kg	01/08/2006 - 02/08/2006	0,056	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	1,35 ± 0,34	mg/Kg	01/08/2006 - 02/08/2006	0,03	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	5,79 ± 1,4	mg/Kg	01/08/2006 - 02/08/2006	0,061	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	39,4 ± 9,8	mg/Kg	01/08/2006 - 02/08/2006	0,11	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	<0,0073	mg/Kg	01/08/2006 - 01/08/2006	0,0073	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	<0,02	mg/Kg	28/07/2006	- 03/08/2006	0,02	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	<0,014	mg/Kg	31/07/2006	- 03/08/2006	0,014	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,005	mg/Kg	31/07/2006	- 03/08/2006	0,005	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00455 ± 0,0014	mg/Kg	04/08/2006	- 05/08/2006	0,000064	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,0192 ± 0,0058	mg/Kg	04/08/2006	- 05/08/2006	0,00024	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,59	mg/Kg	31/07/2006	- 01/08/2006	0,59	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,057	mg/Kg	31/07/2006	- 01/08/2006	0,057	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0037	mg/Kg	-----	- 02/08/2006	0,0037	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,0035	mg/Kg	01/08/2006	- 02/08/2006	0,0035	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0024	mg/Kg	01/08/2006	- 02/08/2006	0,0024	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0023	mg/Kg	01/08/2006	- 02/08/2006	0,0023	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0027	mg/Kg	01/08/2006	- 02/08/2006	0,0027	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0032	mg/Kg	01/08/2006	- 02/08/2006	0,0032	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0023	mg/Kg	01/08/2006	- 02/08/2006	0,0023	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,0035	mg/Kg	01/08/2006	- 02/08/2006	0,0035	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0032	mg/Kg	01/08/2006	- 02/08/2006	0,0032	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0025	mg/Kg	01/08/2006	- 02/08/2006	0,0025	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0037	mg/Kg	01/08/2006	- 02/08/2006	0,0037	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0021	mg/Kg	01/08/2006	- 02/08/2006	0,0021	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0025	mg/Kg	01/08/2006	- 02/08/2006	0,0025	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0032	mg/Kg	01/08/2006	- 02/08/2006	0,0032	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135953/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer	ERM ITALIA Srl	
Address	Via San Gregorio, 38	
	20154 Milano	
Project/Contract	0051052 - 3F	
Matrix Type	Soil	
Date received	28-lug-06	
Customer Sample ID	BH13 (9,5)	Type N
Laboratory Sample ID	16 / 21170	
Test Report date of issue	08-set-06	
Sampling Date	26-lug-06	
Sampling Procedure	Sampling activity carried out by the Customer	
Notes		

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	56,6	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	84,8	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	2,73 ± 0,68	mg/Kg	01/08/2006 - 02/08/2006	0,031	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,0941 ± 0,024	mg/Kg	01/08/2006 - 02/08/2006	0,0027	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	11,4 ± 2,9	mg/Kg	01/08/2006 - 02/08/2006	0,027	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,025	mg/Kg	01/08/2006 - 02/08/2006	0,025	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	7,67 ± 1,9	mg/Kg	01/08/2006 - 02/08/2006	0,065	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	2,35 ± 0,59	mg/Kg	01/08/2006 - 02/08/2006	0,036	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	8,27 ± 2,1	mg/Kg	01/08/2006 - 02/08/2006	0,071	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	27,9 ± 7,0	mg/Kg	01/08/2006 - 02/08/2006	0,13	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	<0,0085	mg/Kg	01/08/2006 - 01/08/2006	0,0085	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	<0,026	mg/Kg	28/07/2006	- 03/08/2006	0,026	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	<0,016	mg/Kg	31/07/2006	- 03/08/2006	0,016	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,0064	mg/Kg	31/07/2006	- 03/08/2006	0,0064	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00433 ± 0,0013	mg/Kg	04/08/2006	- 05/08/2006	0,000074	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,0128 ± 0,0038	mg/Kg	04/08/2006	- 05/08/2006	0,00027	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,65	mg/Kg	31/07/2006	- 01/08/2006	0,65	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,053	mg/Kg	31/07/2006	- 01/08/2006	0,053	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0033	mg/Kg	-----	- 02/08/2006	0,0033	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,0031	mg/Kg	01/08/2006	- 02/08/2006	0,0031	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0021	mg/Kg	01/08/2006	- 02/08/2006	0,0021	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,002	mg/Kg	01/08/2006	- 02/08/2006	0,002	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0023	mg/Kg	01/08/2006	- 02/08/2006	0,0023	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0028	mg/Kg	01/08/2006	- 02/08/2006	0,0028	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,002	mg/Kg	01/08/2006	- 02/08/2006	0,002	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,003	mg/Kg	01/08/2006	- 02/08/2006	0,003	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0028	mg/Kg	01/08/2006	- 02/08/2006	0,0028	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0022	mg/Kg	01/08/2006	- 02/08/2006	0,0022	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0033	mg/Kg	01/08/2006	- 02/08/2006	0,0033	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0019	mg/Kg	01/08/2006	- 02/08/2006	0,0019	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0022	mg/Kg	01/08/2006	- 02/08/2006	0,0022	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0028	mg/Kg	01/08/2006	- 02/08/2006	0,0028	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135954/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID MW3 (5,1) **Type N**
Laboratory Sample ID 17 / 21170
Test Report date of issue 08-set-06
Sampling Date 26-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	37,1	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	94,7	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	5,07 ± 1,3	mg/Kg	01/08/2006 - 02/08/2006	0,019	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,061 ± 0,015	mg/Kg	01/08/2006 - 02/08/2006	0,0017	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	5,91 ± 1,5	mg/Kg	01/08/2006 - 02/08/2006	0,017	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,016	mg/Kg	01/08/2006 - 02/08/2006	0,016	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	4,36 ± 1,1	mg/Kg	01/08/2006 - 02/08/2006	0,041	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	1,75 ± 0,44	mg/Kg	01/08/2006 - 02/08/2006	0,022	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	5,13 ± 1,3	mg/Kg	01/08/2006 - 02/08/2006	0,045	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	17,1 ± 4,3	mg/Kg	01/08/2006 - 02/08/2006	0,08	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,0226 ± 0,0068	mg/Kg	01/08/2006 - 01/08/2006	0,0059	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	<0,015	mg/Kg	28/07/2006	- 03/08/2006	0,015	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	<0,0092	mg/Kg	31/07/2006	- 03/08/2006	0,0092	SXLC003/04 LC/MS SXLC003/04
# hexamethylenetetramine as total and on dry basis at 105°C	<0,0038	mg/Kg	31/07/2006	- 03/08/2006	0,0038	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00209 ± 0,00063	mg/Kg	04/08/2006	- 05/08/2006	0,00005	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,00273 ± 0,00082	mg/Kg	04/08/2006	- 05/08/2006	0,00018	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,42	mg/Kg	31/07/2006	- 01/08/2006	0,42	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,051	mg/Kg	31/07/2006	- 01/08/2006	0,051	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0022	mg/Kg	-----	- 02/08/2006	0,0022	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,0021	mg/Kg	01/08/2006	- 02/08/2006	0,0021	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0014	mg/Kg	01/08/2006	- 02/08/2006	0,0014	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0013	mg/Kg	01/08/2006	- 02/08/2006	0,0013	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0016	mg/Kg	01/08/2006	- 02/08/2006	0,0016	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0019	mg/Kg	01/08/2006	- 02/08/2006	0,0019	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0013	mg/Kg	01/08/2006	- 02/08/2006	0,0013	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,002	mg/Kg	01/08/2006	- 02/08/2006	0,002	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0019	mg/Kg	01/08/2006	- 02/08/2006	0,0019	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0015	mg/Kg	01/08/2006	- 02/08/2006	0,0015	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0022	mg/Kg	01/08/2006	- 02/08/2006	0,0022	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0012	mg/Kg	01/08/2006	- 02/08/2006	0,0012	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0015	mg/Kg	01/08/2006	- 02/08/2006	0,0015	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0019	mg/Kg	01/08/2006	- 02/08/2006	0,0019	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL.

Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure .

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135955/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID MW3 (9,8) **Type N**
Laboratory Sample ID 18 / 21170
Test Report date of issue 08-set-06
Sampling Date 27-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	60	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	92,8	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	4,73 ± 1,2	mg/Kg	01/08/2006 - 02/08/2006	0,034	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,0741 ± 0,019	mg/Kg	01/08/2006 - 02/08/2006	0,003	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	7,08 ± 1,8	mg/Kg	01/08/2006 - 02/08/2006	0,03	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,028	mg/Kg	01/08/2006 - 02/08/2006	0,028	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	5,47 ± 1,4	mg/Kg	01/08/2006 - 02/08/2006	0,072	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	0,762 ± 0,19	mg/Kg	01/08/2006 - 02/08/2006	0,04	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	2,8 ± 0,7	mg/Kg	01/08/2006 - 02/08/2006	0,079	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	15,2 ± 3,8	mg/Kg	01/08/2006 - 02/08/2006	0,14	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,0412 ± 0,012	mg/Kg	01/08/2006 - 01/08/2006	0,0098	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	<0,025	mg/Kg	28/07/2006	- 03/08/2006	0,025	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	0,102 ± 0,031	mg/Kg	31/07/2006	- 03/08/2006	0,014	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,0063	mg/Kg	31/07/2006	- 03/08/2006	0,0063	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00426 ± 0,0013	mg/Kg	04/08/2006	- 05/08/2006	0,00007	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,0122 ± 0,0037	mg/Kg	04/08/2006	- 05/08/2006	0,00026	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,68	mg/Kg	31/07/2006	- 01/08/2006	0,68	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,061	mg/Kg	31/07/2006	- 01/08/2006	0,061	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0042	mg/Kg	-----	- 02/08/2006	0,0042	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,004	mg/Kg	01/08/2006	- 02/08/2006	0,004	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0027	mg/Kg	01/08/2006	- 02/08/2006	0,0027	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0026	mg/Kg	01/08/2006	- 02/08/2006	0,0026	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,003	mg/Kg	01/08/2006	- 02/08/2006	0,003	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0036	mg/Kg	01/08/2006	- 02/08/2006	0,0036	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0026	mg/Kg	01/08/2006	- 02/08/2006	0,0026	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,0039	mg/Kg	01/08/2006	- 02/08/2006	0,0039	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0036	mg/Kg	01/08/2006	- 02/08/2006	0,0036	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0029	mg/Kg	01/08/2006	- 02/08/2006	0,0029	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0042	mg/Kg	01/08/2006	- 02/08/2006	0,0042	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0024	mg/Kg	01/08/2006	- 02/08/2006	0,0024	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0028	mg/Kg	01/08/2006	- 02/08/2006	0,0028	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0037	mg/Kg	01/08/2006	- 02/08/2006	0,0037	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135956/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID MW5 (10,2) **Type N**
Laboratory Sample ID 19 / 21170
Test Report date of issue 08-set-06
Sampling Date 26-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	32,4	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	92,8	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	1,76 ± 0,44	mg/Kg	01/08/2006 - 02/08/2006	0,018	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,0392 ± 0,0098	mg/Kg	01/08/2006 - 02/08/2006	0,0016	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	4,71 ± 1,2	mg/Kg	01/08/2006 - 02/08/2006	0,016	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,015	mg/Kg	01/08/2006 - 02/08/2006	0,015	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	3,69 ± 0,92	mg/Kg	01/08/2006 - 02/08/2006	0,038	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	0,495 ± 0,12	mg/Kg	01/08/2006 - 02/08/2006	0,021	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	2,59 ± 0,65	mg/Kg	01/08/2006 - 02/08/2006	0,042	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	12 ± 3,0	mg/Kg	01/08/2006 - 02/08/2006	0,075	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,0156 ± 0,0047	mg/Kg	01/08/2006 - 01/08/2006	0,005	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	0,374 ± 0,075	mg/Kg	28/07/2006	- 03/08/2006	0,0064	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	<0,0074	mg/Kg	31/07/2006	- 03/08/2006	0,0074	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,0032	mg/Kg	31/07/2006	- 03/08/2006	0,0032	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,00561 ± 0,0017	mg/Kg	04/08/2006	- 05/08/2006	0,000035	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,0876 ± 0,026	mg/Kg	04/08/2006	- 05/08/2006	0,00013	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,37	mg/Kg	31/07/2006	- 01/08/2006	0,37	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,037	mg/Kg	31/07/2006	- 01/08/2006	0,037	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,0022	mg/Kg	-----	- 02/08/2006	0,0022	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,002	mg/Kg	01/08/2006	- 02/08/2006	0,002	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0014	mg/Kg	01/08/2006	- 02/08/2006	0,0014	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0013	mg/Kg	01/08/2006	- 02/08/2006	0,0013	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0015	mg/Kg	01/08/2006	- 02/08/2006	0,0015	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0019	mg/Kg	01/08/2006	- 02/08/2006	0,0019	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0013	mg/Kg	01/08/2006	- 02/08/2006	0,0013	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,002	mg/Kg	01/08/2006	- 02/08/2006	0,002	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0018	mg/Kg	01/08/2006	- 02/08/2006	0,0018	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0015	mg/Kg	01/08/2006	- 02/08/2006	0,0015	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,0022	mg/Kg	01/08/2006	- 02/08/2006	0,0022	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0012	mg/Kg	01/08/2006	- 02/08/2006	0,0012	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0015	mg/Kg	01/08/2006	- 02/08/2006	0,0015	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0019	mg/Kg	01/08/2006	- 02/08/2006	0,0019	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End


Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure.

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**


TEST REPORT n° 135957/06

All results reported in this Test Report are exclusively and specifically referred to the submitted sample. The present Test Report can be reproduced only in its entirety. The present Test Report must not be altered in any part or parts or copied for promotional or advertising purposes without the written authorisation of THEOLAB S.r.l.. The present Test Report consists of 3 page(s)

Customer ERM ITALIA Srl
Address Via San Gregorio, 38
 20154 Milano
Project/Contract 0051052 - 3F
Matrix Type Soil
Date received 28-lug-06
Customer Sample ID MW5 (5,8) **Type N**
Laboratory Sample ID 20 / 21170
Test Report date of issue 08-set-06
Sampling Date 26-lug-06
Sampling Procedure Sampling activity carried out by the Customer
Notes

Compound Name	Amount and MU	UM	Date Prep Anal	MDL	Test Method Technique Prep Method
0 fraction sieved 2 mm dry basis at 105°C	28,5	%	31/07/2006 - 31/07/2006		D.M. 13/09/99 GU n° 248 Metodo II.1 Gravimetry D.M. 13/09/99 GU n° 248 Metodo II.1
Residues					
0 residue at 105°C as total	91,5	%	28/07/2006 - 31/07/2006		CNR IRSA 2 Q 64 Vol 2 1984 Gravimetry CNR IRSA 2 Q 64 Vol 2 1984
Metals					
0 arsenic as total and on dry basis at 105°C	5,83 ± 1,5	mg/Kg	01/08/2006 - 02/08/2006	0,015	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 cadmium as total and on dry basis at 105°C	0,0895 ± 0,022	mg/Kg	01/08/2006 - 02/08/2006	0,0013	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium as total and on dry basis at 105°C	6,25 ± 1,6	mg/Kg	01/08/2006 - 02/08/2006	0,014	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 mercury as total and on dry basis at 105°C	<0,013	mg/Kg	01/08/2006 - 02/08/2006	0,013	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 nickel as total and on dry basis at 105°C	6,07 ± 1,5	mg/Kg	01/08/2006 - 02/08/2006	0,032	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 lead as total and on dry basis at 105°C	0,723 ± 0,18	mg/Kg	01/08/2006 - 02/08/2006	0,018	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 copper as total and on dry basis at 105°C	4,4 ± 1,1	mg/Kg	01/08/2006 - 02/08/2006	0,036	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 zinc as total and on dry basis at 105°C	20,3 ± 5,1	mg/Kg	01/08/2006 - 02/08/2006	0,064	EPA 6020A 1998 ICP-MS EPA 3051A 1998
0 chromium (VI) as total and on dry basis at 105°C	0,0113 ± 0,0034	mg/Kg	01/08/2006 - 01/08/2006	0,0048	EPA 7199 Rev 0 1996 IC EPA 3060A 1996

Compound Name	Amount and MU	UM	Date		MDL	Test Method Technique Prep Method
			Prep	Anal		
# pentaerythrite as total and on dry basis at 105°C	0,526 ± 0,11	mg/Kg	28/07/2006	- 03/08/2006	0,0055	SXLC001/05 LC/MS SXLC001/05
# melamine as total and on dry basis at 105°C	<0,0072	mg/Kg	31/07/2006	- 03/08/2006	0,0072	SXLC003/04 LC/MS SXLC003/04
# hexametenetetramine as total and on dry basis at 105°C	<0,0028	mg/Kg	31/07/2006	- 03/08/2006	0,0028	SXLC006/05 LC/MS SXLC006/05
0 acetaldehyde as total and on dry basis at 105°C	0,0184 ± 0,0055	mg/Kg	04/08/2006	- 05/08/2006	0,000029	EPA 8315A 1996 LC/DAD EPA 8315A 1996
0 formaldehyde as total and on dry basis at 105°C	0,205 ± 0,061	mg/Kg	04/08/2006	- 05/08/2006	0,00011	EPA 8315A 1996 LC/DAD EPA 8315A 1996
HC Compounds						
0 HC >C12 <C40 as total and on dry basis at 105°C	<0,33	mg/Kg	31/07/2006	- 01/08/2006	0,33	EPA 8015D 2003 GC/FID EPA 3550C 2000
0 TPH < C12 as total and on dry basis at 105°C	<0,042	mg/Kg	31/07/2006	- 01/08/2006	0,042	EPA 8015D 2003 GC/MS EPA 5035A 2002
PAHs						
0 - total PAHs as total and on dry basis at 105°C	<0,002	mg/Kg	-----	- 02/08/2006	0,002	EPA 8270D 1998 GC/MS
0 benzo[a]anthracene as total and on dry basis at 105°C	<0,0019	mg/Kg	01/08/2006	- 02/08/2006	0,0019	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[a]pyrene as total and on dry basis at 105°C	<0,0013	mg/Kg	01/08/2006	- 02/08/2006	0,0013	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[b]fluoranthene as total and on dry basis at 105°C	<0,0012	mg/Kg	01/08/2006	- 02/08/2006	0,0012	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[g,h,i]perylene as total and on dry basis at 105°C	<0,0014	mg/Kg	01/08/2006	- 02/08/2006	0,0014	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 benzo[k]fluoranthene as total and on dry basis at 105°C	<0,0017	mg/Kg	01/08/2006	- 02/08/2006	0,0017	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 chrysene as total and on dry basis at 105°C	<0,0012	mg/Kg	01/08/2006	- 02/08/2006	0,0012	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,e]pyrene as total and on dry basis at 105°C	<0,0018	mg/Kg	01/08/2006	- 02/08/2006	0,0018	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]anthracene as total and on dry basis at 105°C	<0,0017	mg/Kg	01/08/2006	- 02/08/2006	0,0017	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo[a,h]pyrene as total and on dry basis at 105°C	<0,0013	mg/Kg	01/08/2006	- 02/08/2006	0,0013	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,i)pyrene as total and on dry basis at 105°C	<0,002	mg/Kg	01/08/2006	- 02/08/2006	0,002	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 dibenzo(a,l)pyrene as total and on dry basis at 105°C	<0,0011	mg/Kg	01/08/2006	- 02/08/2006	0,0011	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 indeno[1,2,3-cd]pyrene as total and on dry basis at 105°C	<0,0013	mg/Kg	01/08/2006	- 02/08/2006	0,0013	EPA 8270D 1998 GC/MS EPA 3550C 2000
0 pyrene as total and on dry basis at 105°C	<0,0017	mg/Kg	01/08/2006	- 02/08/2006	0,0017	EPA 8270D 1998 GC/MS EPA 3550C 2000

Test Report End

Parameters flagged with # have been carried out using test methods which are not included in the accredited tests list submitted to the Italian Accreditation Body SINAL. Accredited parameters are flagged with a number designating the category for which they have been accredited for by the Italian Accreditation Body SINAL.

For the accredited test, run in compliance with the modality described in the Accreditation itself, SINAL guarantees:

the competence of the personnel, the availability of suitable instrumentation, and the compliance of the test to the recalled Test Method or Procedure .

"MDL" values indicate, if applicable, the Method Detection Limit (amended by all applicable correction coefficients) for each tested parameter according to the recalled Test Method or Procedure.

The reported Measurement Uncertainty is an Expanded calculated using a coverage factor of 2 with 95% confidence level.

Technical Manager**Laboratory Manager**
